Work Orde											Page 1
Item ID:	D206-559-01	3		Accept					etup Sta	rt	
Revision ID:					i (8811181 818 18111 88111 88111						
Item Name:	Bearpaw								Sto	pp	
Start Date:	8/30/2010	Start Qty: 5.00			Cust Item II	D:					
Required Date:	9/6/2010	Req'd Qty: 5.00			Customer:	- •					
Reference:			1 344 (B1 11) (1941	:				•			
Approvals:	Process Pla	n:	Date 10-8-30	Tooling:	Da	te:		R	un Sta		
	QC:		Date:	SPC (Y/N):	Da	te:			Sto	PP	
Sequence ID/ Work Center I	D	Operation Description		Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Rev	ision Nbr									
IIN-D206-559	المسلب مري	RELIM REJ K								Pi	$b \rightarrow$
100 7 2057 9.	20 7			0.00				10			
		DOCUMENT CONTR	OL		r			*	100r	BG 10	-10-8
DC		Memo		0.00	in a cell	١,			<i></i>		
Document Control		Photocopy	bluefile and create labels pe	r PPP D206-559-013	CHGOOS' & PER ECH	19 K 15	8,0	10/12			
		Pick Kit		0.00	10-9			/		1.	<i>[</i>
Packaging Packaging		Мето		0.00					L/0//0 _/	//2(5

QC4- 100% Inspect kits for completeness

0.00

Memo

Siolio/12



Quality Control

W/O:61	542	WORK ORDER CHANGES		·			*
DATE	STEP	PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector
siloila	100	up Date heaper Dox to current Rev + inculse DSZ enfirme. FIX CHG # PER BEN 10-613	1	ronovs			6/10/12

Part No: 1206-559-013 PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)									
DATE	CTED	Description of NC Corrective Action Section B									
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Verification Section C	Approval Chief Eng	Approval QC Inspector			
NOTE 5											

Work Order ID 61542

Monday, August 30, 2010 10:40:01 AM



Page 2

Item ID:

D206-559-013

Accept

Setup Start

Stop



Revision ID:

Start Date:

Item Name: Bearpaw

Required Date: 9/6/2010

8/30/2010

QC:

Start Qty: 5.00

Req'd Qty: 5.00

Cust Item ID:

Customer:

Tool ID

Reference:

Approvals:

Process Plan: _____ Date:____

Tooling:

SPC (Y/N):

Date:

Tool # Plan

Code

Date:

Accept

Qty



Sequence ID/

Work Center ID

180

Packaging

Packaging

Operation Description

Packaging

Set Up/ **Run Hours**

0.00

0.00

Memo

Identify and pack for shipping as per PRPD206-559-013 Docation:

Date: _____

190

QC

Quality Control

QC21- Final Inspection - Work Order Release

0.00

Memo

0.00

Run

Start



Stop

Reject Insp. Number Stamp

Qty

Reject

Dart Aerospace Ltd

	b								
W/O:			WC	RK ORDER CHANG	ES				•
DATE	STEP	PR	NGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
 									
Part No	:	PAR #:	Fault Cate	gory:	NCR: Yes	No DQ	A:	Date: _	
	Res	olution:	Disposition	1:	_ QA: N/C C	losed:		Date: _	
NCR:			WORK ORD	ER NON-CONFORMA	NCE (NC	R)			
DATE	STEP	Description of NC			Verific			ation Approval	
	J.2.	Section A	Initial Chief Eng	Action Description Chief Eng	Sign Date		Section C		QC Inspector
							· · · · · · · · · · · · · · · · · · ·		
							-		,

Picklist Print

Monday, August 30, 2010 10:40:06 AM

Work Order ID: 61542

Parent Item:

D206-559-013

Parent Item Name: Bearpaw



Start Date: 8/30/2010

Required Date: 9/6/2010

Start Qty: 5.00

Required Qty: 5.00

Comments:

IPP Rev:J□04.02.17□Blank size changed□KJ/JLM□

IPP Rev:K 07-01-02

Was K10008

JLM

JLM Verified By:EC

IPP Rev:L 08-01-09 Added Step 2

IPP Rev:M 08-04-29 update seq. 8 and 12 DD verified by:EC

IPP Rev:N 08-10-15 New Manufacturing Method JLM Verified By:EC

Component Item ID/ Replacement Item Name October Item ID AN4-97A (AN4-97A)	t Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Status Issued-D-5
AN4-PA	Purchased	No			160	Each	375.0000	12	60 M1	04016	le le
P			Locatio	<u>on</u>	Loc	<u>Oty</u>	Loc Code				
			ST			112				_	
				115374		112		_		_	
			ST338			112				_	
			ST358			263					
				114784		21				_	
				115108		142		_			
				115371		100		/~~· -		_	_
AN4-17A Bolt	Purchased	No			160	Each	536.0000		60	`	
			Locatio	<u>on</u>	Loc	<u>Qty</u>	Loc Code				
			ST359			536		_		.	
· · · · · · · · · · · · · · · · · · ·				112314		536		_	M//23	314	
/A N960JD416 / NAS1149D0463	J Purchased	No			160	Each	0.0000		120		

M115647 (C/10/10/12 (5)

Washer

W/0: 6	1542	WORK ORDER CHANGES									
DATE	STEP	Pern. Jone PROCEDURE CHANGE	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector				
10/10/12	100	uporte change of bults + ANY-201 per DS1 9507.	G	(O>WB			Soludiz				

Part No: <u>D206-559-013</u> PAR #:	Fault Category:	NCR: Yes No DQA:	Date:
Resolution:	Disposition:	QA: N/C Closed:	Date:

NCR:		WORK ORDER NON-CONFORMANCE (NCR)										
		Description of NC		Corrective Action Section B	Verification							
DATE	STEP	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Date	Section C	Approval Chief Eng	Approval QC Inspector				
						:						
		•										
			-									

Monday, August 30, 2010 10:40:06 AM

Work Order ID: 61542

Parent Item:

D206-559-013

Parent Item Name: Bearpaw



Start Date: 8/30/2010

Required Date: 9/6/2010

Start Qty: 5.00

Required Qty: 5.00

D2182B

Rubber Cushion

Manufactured

No

160

f

215,1285

2.5

12.5

(D2182B050) cut qty (6) at 5.00" as per dwg ***per kit***

D2274

No

Location Loc Oty ST402A 26.07 30872 13.67 39986 12.4 ST410 189.05854 52649 189.05854 Loc Code

Radius Block

206 (24") Bearpaw D2438

Clamp

Manufactured

Manufactured

Manufactured

No

No

Location

Location

59123

60852

ST456

160

160

Each

Each

168.0000

Loc Code

ST010 168 · 59108 168

160 Each

Loc Qty

228

28

200

Loc Qty

0.0000

228.0000

535

1 30 <u></u>

Loc Code

Dart A	erospa	ace l	Ltd
--------	--------	-------	-----

	•									
W/O:			WC	RK ORDER CHANG	iES				`	
DATE	STEP	PR	Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector			
Part No	:	PAR #:	Fault Cate	gory:	_ NCR: Yes	No DQ	A:	Date: _		
	Res	solution:	Disposition	1:	_ QA: N/C	QA: N/C Closed:			Date:	
NCR:			WORK ORDE	ER NON-CONFORMA	ANCE (NC	R)				
DATE	STEP	Description of NC	1	tion B Verifica		cation	tion Approval	Approval		
		Section A	Initial Chief Eng	Action Description Chief Eng	Sign Dat		tion C	Chief Eng	QC Inspector	
		•.								
					-					
				·						
							,			

Monday, August 30, 2010 10:40:06 AM

Work Order ID: 61542

Parent Item:

D206-559-013

Parent Item Name: Bearpaw



58568

Start Date: 8/30/2010

Required Date: 9/6/2010

Start Oty: 5.00

Required Otv: 5.00





Manufactured

Manufactured

No

No

No

160

166.0000 Each

Loc Code

12

60

√ Washer

D2732			
	 	// /	11

Rubber Extrusion

(D2732-050) cut qty (6) at 5.00" as per dwg ***per

kit***

MS21042L4

Purchased

Location

ST017

166 166 160

Loc Qty

Loc Qty

253.6157



Location ST412

253.615737 56516 253.615737

Each

2,527.000

Loc Code

12

60

56516 1.X 43118 2.00

Location	Loc Qty	Loc Cod
ST300	2527	
113422	68	
114523	28 -	
114718	16	
114784	495	
115108	1920	

160

<u>de</u>

Dart Aerospace Ltd

W/O:			WC	ORK ORDER CHAN	GES					
DATE	STEP	PR	NGE		Ву	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector	
Part No	•	PAR #:	Fault Cate	gory:	NCR	: Yes 1	lo DQ	A :	_ Date: _	
	Res	olution:	Dispositio	Disposition: QA			sed:		Date: _	
NCR:			WORK ORDI	ER NON-CONFORM	IANCE	(NCR)				
DATE	STEP	Description of NC			ction B		Verific	ation	Approval	Approval
	J.E.	Section A	Initial Chief Eng	Action Description Chief Eng	Sign & Section			C Chief Eng	QC Inspector	
		ı								
										
							;			
						<u> </u>				
•										
	1 1				1		1			



5.0 PARTS LIST (D206-559 REV. K) 32.7 PARTS LIST (ICA-D205-559 REV. 2)

Qty -011	Qty -013	Qty -021	Qty -023	Qty -031	Qty -033	Qty -113	Part Number	Description	
Х	1,5						D206-559-011	Bearpaw Kit 206 A/B	
	İΧ						D206-559-013	Bearpaw Kit 206 L/L1/L3/L4/407	
		X			<u> </u>		D206-559-021	Narrow Bearpaw Kit 206 A/B	
	1		X				D206-559-023	Narrow Bearpaw Kit 206 L/L1/L3/L4/407	
	(X			D206-559-031	Wearplate Kit	
	()				Х		D206-559-033	Wearplate Kit	
						X	D407-559-113	Large Bearpaw Kit 206 L/L1/L3/L4/407	
							DOMODOFO	RUBBER CUSHION	
4 1	6	4	6				D2182B050	RADIUS BLOCK	
8	12	8	12			20	D2274 /		
2							D2435	19" X 16" BEARPAW	
	2						D2432F /	19" X 24" BEARPAW	
		. 2					D20/1	13" X 16" BEARPAW	
			2				D2672F	13" X 24" BEARPAW	
4	6	4	6				D2438	CLAMP	
8	12	8	12				D2529 /	WASHER	
	6		6				D2732-050 //	RUBBER CUSHION	
						2	D3456-1	WASHER	
					2		D3859-041	WEARPLATE	
				2			D3860-041	WEARPLATE	
						2	D4010-041	BEARPAW ASSEMBLY	
						8	D4011-1	CLAMP, SHORT	
						2	D4011-3	CLAMP, LONG	
	-					8	D4011-5	CLAMP, SHORT (OEM)	
						10	D4012-1	CUSHION	
							AN14040A	DOLT.	
L						2	AN4C10A	BOLT	
8	12	8	12	8	12		AN4-17A :/	BOLT	
8	12	8	12	8	12		AN4-20A	BOLT (WAS AN4-15A)	
						4	AN4C13A	BOLT	
						8	AN4C15A	BOLT	
						8	AN4C17A	BOLT	
16	24	16	24				AN960JD416/	WASHER (OR NAS1149D0463J)	
8 .	12	8	12	8	12		MS21042L4 /	NUT (OR MS21042-4)	
						20	MS21043-4	NUT	
1				8	12		NAS1149D0463J	WASHER (OR AN960JD416)	
2		2					QS200M44S	CLAMP	

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

D. SHEPHERD (DE # 02)

DATE: 10.06.30 CERT. NO.: SH92-17 ISSUE NO.: 7

DESIGN	9?	DART AEROSPACE LTD					
DRAWN 97		HAWKESBURY, ONTARIO, CANADA					
CHECKED		DRAWING NO.	REV. A				
MFG. APPR. N/A		DSI 9527	SHEET 2 OF 2				
APPROVED	ND.	TITLE	SCALE				
DE APPR.		BOLT CHANGE	NTSNTS				
DATE 10.0	6.30	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.					